











The Most Successful Ovulation Inducing Agent

LETJOY^R



Letrozole 2.5 mg Tablets

Superiority over Clomiphene Citrate (CC)

- Higher ovulation and pregnancy rate as compared to CC
- Superior to CC in ovulation induction for patients with PCOS
- Effective in CC resistant cases
- Lower risk of multiple pregnancy

Uncompromised fetal safety profile established in large scale clinical trials done world wide

- DCGI has approved Letrozole as on Ovulation Inducing Agent (Jan 2017)
- American Society of Reproductive Medicine(ASRM) has permitted use of Letrozole as First Line Ovulogen (June 2018)
- WHO has recommended Letrozole as first line OI in medicine in anovulatory patient (2016)

FOR USE BY REGISTERED MEDICAL PRACTITIONER ONLY.



Designed especially for Gynecologist



In Preparation of Healthy Endometrium

NIDASURE

Estradiol Valerate 2 mg Tablets

- To prepare Endometrium in Frozen Embryo Transfer Cycles
- Priming of Endometrium in Estrogen deficiency conditions
- To Increase thickness of Endometrium in Ovulation Induction Cycles
- As Hormone Replacement Therapy





In Supporting Pregnancy

OLIPREG-5R 300

Natural Micronised Progesterone 200 / 300 mg SR Tablets

- Micronized progesterone as the first choice for opposing estrogen therapy in non-hysterectomized postmenopausal women.
- Hormone (LH) which stimulates the corpus luteum (the remnant egg sac) in the ovary to produce progesterone.
- Offers stable serum progesterone concentration over 24 hours dosing interval.
- Allows for full development of the fetus through pregnancy.

Natural Progesterone

100% affinity to progesterone receptors. Endometrial morphology matches that of natural cycle.

Safe

No androgenic and teratogenic effects

In Luteal Phase Deficiency

Achieves luteal phase progesterone levels & improves fertility outcome

In Habitual & Threatened Abortion

Evidence suggests that Progesterone given in early pregnancy is highly useful in women with recurrent miscarriage.

Luteal phase Deficiency
Premenstrual Syndrome
Preterm Labour
Amenorrhoea





In Promoting Hormone Balance in PCOS

POLYGYSTOLTM

Myo-Inositol 550 mg, D-Chiro-Inositol 13.8 mg, Folic Acid 1.5 mg, Vitamin D3 200 IU Capsules

Improves Ovulation & Pregnancy Rate in Polycystic Ovarian Disease



Also Contains
Vit. D3
(200 IU)



In Male Infertility & Low Sperm Count (Oligozoospermia)

SPERMSURE

Levocarnitine 500 mg, Ubidecarenone (Co Enzyme Q 10)100 mg, Zinc Sulphate Monohydrate 12.5 mg, Lycopene Preparation (10%) 2.5 mg Tablets

- Helpful for Sperm Function and Fertility
- Raises Sperm Counts and Motility
- Protects Sperm from Oxidative Damage
- Maintains Function of Epididymis
- Improves Sperm Formation, Quantity, Structure and Function

Coenzyme Q10

- Administration of CoQ10 increased the pregnancy rate by 36%.
- Sperm motility index improved in 54% Test Subjects and 38% showed improvement in sperm morphology.





In Bacterial Vaginosis

FLURNEST**

Lactobacillus Acidophilus 1.0 Billion CFU, Rhamnosus 0.5 Billion CFU, Reuteri 0.5 Billion CFU Capsules

2 Billion Beneficial Bacteria per Capsule

with patented lactobacillus strains: L. acidophilus, L. rhamnosus and L. reuteri



- Clinically Tested Strains
- Balances Yeast & Bacteria
- Proprietary Probiotic Blend for Vaginal Health



PROBIOTIC OF CHOICE IN CHRONIC URINARY TRACT INFECTION AND VULVO VAGINITIS



In Cellular Metabolism

ENARGOLT SACHETS

L-Arginine 3 gm, Folic Acid 2.5 mg, Zinc Sulphate Monohydrate 10 mg Sachets

- Ensures complete absorption
- Assures dosing convenience
- Promises effective outcome
- Provides economy on long term treatment
- Reduces Erectile Dysfunction In men

L-Arginine

The precursor of nitric oxide.

Zino

Vital trace mineral for optimal foetal & tissue growth.

Folic Acid

Essential vitamin for cell division, Enhances maternal-placental - foetal blood circulation.

In management of IUGR, Preeclampsia, Oligohydramnios

- Dietary arginine supplementation during early pregnancy enhances the embryonic survival in high risk cases.
- L-arginine and antioxidant vitamins prevent pre-eclampsia in high risk pregnancy.

More Powerful,

More Convenient





In Folic Acid, Vitamin B6 & Vitamin B12 Deficiency

FOLICONIT

Methylcobalamin 1.5 mg, L-Methylfolate Calcium 1 mg & Pyridoxal-5-Phosphate 0.5 mg **Tablets**

- Methylcobalamin equivalent to vitamin B_{12} is used to prevent anemia in pregnancy
- L-methylfolate, an active form of folic acid is used as supplement for various low folate level conditions like poor diet, pregnancy, liver diseases, alcoholism etc.
- Pyridoxine-5-Phosphate is responsible for synthesis of hormones,
 RBCs, neurotransmitters and enzymes

INDICATIONS

- Hyperhomocysteinemia
- High risk recurrent pregnancy loss
- Risk of anemia due to impaired folic acid absorption
- Impaired metabolism due to 677c-t mutations
- L-methylenetetrahydrofolate reductase gene
- Supplement for women of child-bearing potential



FOLICONIT™Refresh your Energy



In 2nd & 3rd Trimester of Pregnancy

FOLICONITED HAD Completes your requirement for healthy outcome

DHA 10% 200 mg, L-Methyl Folate Calcium 1 mg, Pyridoxal-5-Phosphate 0.5 mg, Methyl Cobalamin 1.5 mg, Vitamin D3 1000 IU Soft Gel Capsules

DHA 10% 200 mg, Vitamin D3 1000 IU

DHA

Growth & Function Development of Brain in Infants

Normal Brain Function in Adults

FOLIC ACID

Essential Role in Cellular Division and DNA Synthesis

Red Blood Cell Production

Neural Tube Protections

IUGR

Reduces the risk of Prematurity

Prenatal Brain & visual function

IQ level

Prevents Miscarriage



Satisfies Every Demand....



In Iron Deficiency Anemia

FEMORISE"XT

Ferrous Ascorbate 100 mg, Folic Acid 1.5 mg, Zinc Sulphate Monohydrate 61.8 mg Eq. to Elemental Zinc 22.5 mg Tablets

Ferrous Ascorbate

Iron is absorbed excellently in bonded form

Folic Acid

Takes part in the formation and maturation of RBC

Zinc

Zinc prevents IUGR (Intra Uterine Growth Retardation)
Helps development & growth of foetus

Prescribed in:

- Pregnancy & Lactation
- General debility
- Convalescence
- Anemia
- Haemoglobin build-up
- Hookworm Infestation

Most advanced Supportive Iron Therapy



Speedy & effective way to increase hemoglobin



In Calcium Deficiency, Increased Bone Loss & Osteomalacia

FEMMEGAL-D3

Calcium Citrate 1000 mg, Magnesium Hydroxide 100 mg, Vitamin D3 200 IU, Zinc Sulphate Monohydrate 4 mg **Tablets**

- Essential for Growth & Maintenance of Bones & Teeth
- Keeps Blood Pressure Normal During Pregnancy
- Reduces the Risk of Heart Diseases & Colorectal Cancer
- Prevents Rickets in Children & Osteoporosis in Adults

Prescribed in:

- Pregnancy & Lactation
- Rickets in children
- Osteoporosis in adults
- High risk of cancer & heart disease



Drives more Calcium Builds Bone Mass



In Gastric Acidity & Nausea-Vomiting

PANILIUM-DSR

Pantoprazole 40 mg + Domperidone 30 mg Capsules

Pantoprazole

- Potent inhibitor for gastric acid secretion.
- Promotes fast healing of gastric / duodenal ulcers.
- Superior to omeprazole in healing gastric ulcers.
- Possesses favourable safety profile compared to other PPI's.

Domperidone


- Enteric coated pellets for a consistence & prolonged action.
- Possesses prokinetic action for the symptomatic treatment of dyspepsia.
- Eliminates nausea & vomiting associated with GERD.
- Increases lower esophageal tone & esophageal clearance.

Indications:

- **★ G. E. R. D.**
- **★ Peptic Ulcer Disease**
- ★ Oesophageal Reflux
- **★ Zollinger Ellisons Syndrome(ZES)**
- * Drug Induced Gastritis
- * Dyspepsia

Works Round the Clock





In Topical Solution For Fungal Infections

SERTAPAM

Sertaconazole Nitrate 2% 15 gm cream

- An antifungal medication. Kills and stops the growth of fungus.
- Sertapam cream 2% is an effective option for the treatment of Tinea pedis.
- Sertapam has shown an anti-inflammatory effect that is very useful for the relief of unpleasant symptoms in treatment of superficial candidiasis.

Most Potent against

Candida albicans

- Epidermophyton floccosum
- Trichophyton mentagrophytes
 Trichophyton rubrum

Suffering from

fungal infections...?



Dose :- Cream should be applied to the affected and immediate surrounding area(s) twice daily for 4 weeks.



In Fungal Infections

TERFINOL®

Terbinafine 250 mg Tablets

Powerful antifungal agent

Indications

Tinea Capitis



Tinea Corporis



Onychomycosis



Vaginal candidiasis







Dosage:

Vaginal candidiasis:

One 250 mg tablet twice daily for 10 days

Fingernail onychormycosis:

One 250 mg tablet once daily for 6 weeks

Toenail onychomycosis:

One 250 mg tablet, once daily for 12 weeks



